



2X Ø2.12" O.D. C.F.  
FLANGE, ROTATABLE,  
THRU HOLES



SPECIFICATIONS:  
\*MANUAL ACTUATION  
\*Ø2.12" O.D. C.F. ROTATABLE, FLANGES  
\*VITON GATE AND BONNET SEAL  
\*VACUUM RANGE: 1 X 10<sup>-9</sup> TORR  
\*LEAK TEST: 1 X 10<sup>-9</sup> STD CC/SEC HE  
\*BAKE TEMPERATURE: 120°C (248°F)  
\*SST EXPOSED TO VACUUM

NOTE:  
1. DIMENSIONS IN [X.XX] ARE IN mm.

PROPRIETARY AND CONFIDENTIAL  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
THERMIONICS LABORATORY INC. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION OF  
THERMIONICS LABORATORY INC. IS  
PROHIBITED.

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± N/A ANGULAR: MACH ± BEND ± 5° ONE PLACE DECIMAL ± .1 TWO PLACE DECIMAL ± .01 THREE PLACE DECIMAL ± .005 SURFACE FINISH 63 R.M.S.							FINISH:		 thermionics laboratory, inc.		DO NOT SCALE DRAWING		REVISION	
											<i>thermionics laboratory inc. Hayward Ca. 94545</i>			
		NAME	SIGNATURE	DATE		USED ON	NEXT ASSY.	TITLE:  <b>ANGLE VALVE, RIGHT ANGLE, MANUAL ACTUATION</b>						
DESIGN/ENG.							GEN. USE							
CHK'D														
APPV'D														
MFG								DWG NO.  A-100-H-CF						
Q.A														
								SCALE:1:2.5						
								SHEET 1 OF 1						